Google Scholar BETA

[table tags stream function parsing reference O] [   ] - [2004] [Search]

O Search the Web ⊙ Search English pages

Scholar   All articles - Recent articles Results **1 - 100** of about **3,430 English** pages for table tags stream function parsing reference OR lookup OR database -patent. (0.34 seconds)

Did you mean: table tags stream function *passing* reference OR lookup OR database -patent

Stream-oriented FPGA computing in the Streams-C high level language - ▸washington.edu [PDF]
M Gokhale, J Stone, J Arnold, M Kalinowski - Field-Programmable Custom Computing Machines, 2000 IEEE ..., 2000 - ieeexplore.ieee.org
... a C++ program that links the process **function** body with ... data, **tag**); -: SC-
STReAEUWolinput-**stream**, data. **tag**); -: (4-5) 1 SC_SI.REUCCLOSE Iinput-streaml i -: ...
Cited by 130 - Related articles - Web Search - All 6 versions

[PDF] ▸Extracting Semistructured Information from the Web
J Hammer, H Garcia-Molina, J Cho, R Aranha, A ... - Proceedings of the Workshop on Management of Semistructured ..., 1997 - ghostproxy2.com
... each of its rows) as long as the **table** can be ... and can automatically identify HTML
tags in the input **stream**. ... is very easy to extract text and HTML **tags** from an ...
Cited by 370 - Related articles - View as HTML - Web Search - All 25 versions

[PDF] ▸Automatic Compensation for Parser Figure-of-Merit Flaws
D Blaheta, E Charniak - ANNUAL MEETING-ASSOCIATION FOR COMPUTATIONAL LINGUISTICS, 1999 - acl.ldc.upenn.edu
... by look- ing at a **tag stream**, ignoring lexical ... of a sentence; since the bi-**tag**
probability of ... Effectively, then, under the **table lookup** algorithm, the scan ...
Cited by 8 - Related articles - View as HTML - Web Search - BL Direct - All 22 versions

An Illustra technical white paper
J Gaffney - ACM SIGMOD Record, 1996 - portal.acm.org
... With the feedback gathered through click **stream** analysis, you can build ... When WebExplode
finds Web DataBlade **tags**, it issues SQL ... Development **Table**: [mb_es v l ...
Cited by 2 - Related articles - Web Search

Adaptive and Automatic Creation of Hierarchical WML Decks for Efficient Access of Wireless Internet ...
L Choi, DG Kim, SJ Lee, CH Kang - LECTURE NOTES IN COMPUTER SCIENCE, 2003 - Springer
... and to construct a **parse** tree from the **stream** data ... an HTML **tag** into a set of WML
tags and associated ... First, we separate information inside a <**table**> **tag** into an ...
Cited by 1 - Related articles - Web Search - BL Direct - All 8 versions

XSIL: Extensible Scientific Interchange Language - ▸gl.ac.uk [PDF]
K Blackburn, A Lazzarini, T Prince, R Williams - LECTURE NOTES IN COMPUTER SCIENCE, 1999 - Springer
... Type Definition (DTD) which defines the allowed **tag** names in ... two names, that an Array
does not contain a **Table**. ... From the XSIL **Stream** object can be extracted a ...
Cited by 16 - Related articles - Web Search - BL Direct - All 11 versions

An evaluation of binary xml encoding optimizations for fast **stream** based xml processing - ▸bayardo.org [PDF]
RJ Bayardo, D Gruhl, V Josifovski, J Myllymaki - Proceedings of the 13th international conference on World ..., 2004 - portal.acm.org

... nodes corresponding to the doc- ument's **tag** nesting (see **...** identified by the
string's offset in the **table**. **...** it encounters a new node in the incoming **stream**. **...**
Cited by 33 - Related articles - Web Search - All 18 versions

A Better XML Parser through Functional Programming

O Kiselyov - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer
... **Table** 1. User/system times, in seconds, for running three **...** of a recursive procedure
handle-start-**tag** of the SSAX **...** of) documents from a TCP pipe or other **stream**. **...**
Cited by 23 - Related articles - Web Search - EL Direct - All 6 versions

Efficient Access Using Hierarchical WML Decks for Multimedia Services under Wireless and Mobile

SJL Dae-gun Kim, L Choi, CH Kang - Management of Multimedia on the Internet: 5th Ifip/IEEE ..., 2002 - books.google.com
... **Table** 1. The conversion process and examples for each **tag** **...** to construct a **parse** tree
from the **stream** data. **...** separates the HTML contents into header, **tags** and data **...**
Related articles - Web Search

Efficient Access Using Hierarchical WML Decks for Multimedia Services under Wireless and Mobile ...

D Kim, SJ Lee, L Choi, CH Kang - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer
... **Table** 1. The conversion process and examples for each **tag** **...** to construct a **parse** tree
from the **stream** data. **...** separates the HTML contents into header, **tags** and data **...**
Related articles - Web Search - EL Direct - All 4 versions

Extraction of protein interaction information from unstructured text using a context-free grammar - ›ge.com [PDF] - Free from Publisher

JM Temkin, MR Gilder - Bioinformatics, 2003 - Oxford Univ Press
... It then **parses** the input and generates a **stream** of tagged tokens based on the
descriptions in **Table** 2. The lexical analyzer **tags** the input text by **...**
Cited by 92 - Related articles - Web Search - EL Direct - All 9 versions

Processing XML streams with deterministic automata and **stream** indexes - ›umass.edu [PDF]

TJ Green, A Gupta, G Miklau, M Onizuka, D Suciu - ACM Transactions on **Database** Systems (TODS), 2004 - portal.acm.org
... guarantees the throughput at which it can process the **stream** of XML **...** figure The eager
DFA needs to remember what subset of **tags** of {book, **table**, chapter, note **...**
Cited by 77 - Related articles - Web Search - All 9 versions

Optimizing the lazy DFA approach for XML **stream** processing

D Chen, RK Wong - ... of the 15th Australasian **database** conference-Volume 27, 2004 - portal.acm.org
... time complexity to process one event **tag** was shown **...** is actually a position entry in
the position **tables**. **...** manipulate the byte offsets on the input buffer **stream**. **...**
Cited by 5 - Related articles - Web Search - All 5 versions

[PDF] ›An Active Events Model for Systems Monitoring

PN Gross, S Gupta, GE Kaiser, GS Kc, JJ Parekh - Working Conference on Complex and Dynamic Systems ..., 2001 - cs.columbia.edu
... extra information is added to the data **stream** so that **...** The Oracle then **parses** this
file, identifying unique **tags**. **...** then presented as the first column of a **table**. **...**
Cited by 36 - Related articles - View as HTML - Web Search - All 7 versions

[PDF] ›Using XML to represent knowledge by frames

M Marinov - Proceedings of the 5th international conference on Computer ..., 2004 - ecet.ecs.ru.acad.bg
... The **stream** of events approach is faster since it can be **...** and reading the attributes

of every **table** and participating **...** s ability to generate its own **tags** makes it **...**
Related articles - View as HTML - Web Search - All 2 versions

[PDF] ›An evolution framework based on fine grained repository
N Fukuyasu, S Yamamoto, K Agusa, C Furou, I Nagoya ... - Proceedings of international Workshop on Principles of ..., 1999 - dontaku.csce.kyushu-u.ac.jp
... Figure 4: Sequence diagram of the case that the **stream** \=?ISO-2022-JP **...** HTML and its
browsers are widely used, and the anchor **tag** of HTML **...** **table** of global variables **...**
Cited by 5 - Related articles - View as HTML - Web Search - All 2 versions

[PDF] ›Black-box Software Testing Using Module Interface Specifications
RF Abraham, Trio, McMaster University, ... - 1993 - cas.mcmaster.ca
... The C program generated by lex searches the input **stream** for regular **...** all hash **table**
entries to NULL, and then installs the **Tag** names in the **table** for later **...**
Cited by 2 - Related articles - View as HTML - Web Search - Library Search - All 5 versions

Processing ASN. 1 specifications in a declarative language
C Wikstrom - Software Engineering for Telecommunication Systems and ..., 1992 - ieeexplore.ieee.org
... of one type into a **stream** of bytes **...** to trap abnormal termination of a **function**
evaluation.This **...** Person DEFINITIONS IMPLICIT **TAGS** ::= EXPOHTS Person; BEGIN Person **...**
Cited by 3 - Related articles - Web Search - BL Direct - All 3 versions

Stream processing of XPath queries with predicates - ›washington.edu (PDF)
AK Gupta, D Suciu - Proceedings of the 2003 ACM SIGMOD international conference ..., 2003 - portal.acm.org
... 1, c/text()=2}); finally, when the end **tag** is **...** The machine reads SAX events from
the input **stream**. **...** has 22 entries), and each is a hash **table** indexed by Σ **...**
Cited by 166 - Related articles - Web Search - All 9 versions

Storing and querying ordered XML using a relational **database** system - ›qlds.nl (PDF)
I Tatarinov, SD Viglas, K Beyer, J ... - Proceedings of the 2002 ACM SIGMOD international conference ..., 2002 - portal.acm.org
... **functions** go, XPath provides the position ( ) **function**, as described **...** **table** will
typically be small since it only **...** Storing paths instead of **tag** names can greatly **...**
Cited by 423 - Related articles - Web Search - All 22 versions

[PDF] ›Evaluating Future Microprocessors: The SimpleScalar Tool Set
D Burger, TM Austin, S Bennett - 1996 - cs.utexas.edu
... and access per- missions for each memory **reference**. **...** fcc floating point condition
code **Table** 1: SimpleScalar **...** handled by a different **function**: ifetch(), idecode **...**
Cited by 658 - Related articles - View as HTML - Web Search - Library Search - BL Direct - All 18 versions

[PDF] ›Program Editing in a Software Development Environment
SP Reiss - Brown U. Computer Science, 1995 - jgaa.info
... If it is, the token **stream** sets the flag on the **...** TABLE 2. Tokens set for declarations **...**
Macro definition ENUM_TAG_DEF Enumeration type **tag** definition TYPE_TAG_DEF **...**
Cited by 1 - Related articles - View as HTML - Web Search - All 7 versions

[PDF] ›TypEx: A Type Based Approach to XML **Stream** Querying
G Russell, M Neumuller, R Connor - Proceedings of the Sixth International Workshop on the Web ... 2003 - cis.strath.ac.uk
... a la- bel corresponding to an XML **tag** label, and **...** filter and multiple filters per
data **stream**, affording a **...** **Table** 1 supports the observation gained from the news **...**

Table extraction using conditional random fields - »umass.edu [PDF]

D Pinto, A McCallum, X Wei, WB Croft - Proceedings of the 26th annual international ACM SIGIR ..., 2003 - portal.acm.org
... The features measure aspects of the input **stream** such as ... each line of a document
with a **tag** that describes ... that appear below data but still apply to the **table**. ...

[PDF] ‹XML Accelerator Engine

J van Lunteren, T Engbersen, J Bostian, B Carey, C ... - First International Workshop on High Performance XML ..., 2004 - zurich.ibm.com
... mask current state flags next state output **table** address ... end **tag** matches a previously
processed start **tag** and is ... in which the input character **stream** is tested ...

[BOOK] Oracle **Database** 10g XML & SQL: XML & SQL: Design, Build & Manage XML Applications in Java, C, C++ & ...

MV Scardina, B Chang, J Wang - 2004 - books.google.com
... 47 DTD Caching 47 Skipping the <!DOCTYPE> **Tag** 47 ... Page 13. Contents xi Using External
Tables 184 ... 453 Instantiating the Generic **Functions** with cppextractForce 458 ...

A formal language model for **parsing** SGML

RW Matzen, KM George, GE Hedrick - The Journal of Systems & Software, 1997 - Elsevier
... everything that occurs within it: a **stream** of tokens ... syntax production operators
shown in **Table** 1. '?', r ... **tag** (it consists only of a start **tag**>. ...

TCP: tag correlating prefetchers - »bell-labs.com [PDF]

Z Hu, M Martonosi, S Kaxiras - High-Performance Computer Architecture, 2003. HPCA-9 2003. ..., 2003 - ieeexplore.ieee.org
... **tag** re-appears about 3 million times in the miss **stream**. ... misses repeatedly on a very
small set of **tags**, indicating a moderate history **table** would capture the ...

SAM-I: a prototype machine for dynamic, array-oriented programming languages

RF Hobson, JD Hoskin, JL Simmons, RW Spilsbury - Computers and Digital Techniques, IEE Proceedings-, 1992 - ieeexplore.ieee.org
... as a syntax watchdog, or it may combine that **function** with more ... a contour access
table (CAT) **lookup** for the OR1 **tag** and data access **table** (DAT) index. ...

Developing a lexicon for automatic knowledge acquisition

FJ Rinaldo, RE Strutz, MW Evens - Expert Systems for Development, 1994., Proceedings of ..., 1994 - ieeexplore.ieee.org
... The source file is a **stream** file over 30 ... and homograph numbers, lexical semantic
relationship **tags**, etc. ... with a very volatile structure and very sparse **tables**. ...

Personalized Electronic Commerce Services

RL Bartell, NA Blackwood, D Eggenschwiler, MH ... - Bell Labs Technical Journal, 1999 - doi.wiley.com
... MediaXact **tags** act as markers for a pagebuilder ... and uses its template interpreter
to **parse** arguments that have ... then invokes the appropriate **functions** from the ...

Searching and Browsing a Shared Video **Database**

R Hjelsvold, R Midtstraum, O Sandsta - Multimedia **Database** Systems, 1996 - doi.ieeecomputersociety.org

... the **database** intersecting a given interval of a video **stream**. ... component, in the document's **table** of contents ... Each operation is tagged and these **tags** can be ...

Cited by 35 - Related articles - Web Search - All 6 versions

Call management mechanism for internet phone services based on SIP

MY Huh, W Hyun, SG Kang, PY Kim - High Speed Networks and Multimedia Communications 5th IEEE ..., 2002 - ieeexplore.ieee.org

... **table**, location server shares that internal **table** to find ... mechanism to maintain the original **stream** of a ... enables to provide the flexible **function** to extension ...

Cited by 1 - Related articles - Web Search

Using XML to Integrate Existing Software Systems into the Web

H Sneed - COMPSAC-NEW YORK-, 2002 - doi.ieeecomputersociety.org

... from the map and passes it on as a data **stream**. ... This is a relational **table** containing binary tuples. Each binary tuple associates an XML **tag** with a host ...

Cited by 11 - Related articles - Web Search - BL Direct - All 6 versions

Data interchange services: use of XML hub approach for the aerospace supply chain

P Ho, AJC Trappey, CV Trappey - International Journal of Technology Management, 2004 - Inderscience

... sharing among up **stream** and down **stream** partners, with ... Table 2 The general methods of mapping services ... into an existing target field (**tag**) directly Additional ...

Cited by 8 - Related articles - Web Search - BL Direct - All 8 versions

[CITATION] Multi-**stream** Hidden Markov Models for Gene Recognition.

K Asai, T Hubbard - Proc. GP2000, 2000

Cited by 1 - Related articles - Web Search

An XML-based lightweight C++ fact extractor - kent.edu [PDF]

ML Collard, HH Kagdi, JI Maletic - Program Comprehension, 2003. 11th IEEE International ..., 2003 - ieeexplore.ieee.org

... entities **parsed** and augmented with XML **tags** in the ... in the predicates since no symbol **table** is maintained ... simplified as parsers would also become **stream** producers ...

Cited by 41 - Related articles - Web Search - All 12 versions

[PS] Building chunk level representations for spontaneous speech in unrestricted domains: The CHUNKY ...

K Zechner, A Waibel, A Lavie, N Green - MS Project Report, CMU, Department of Philosophy. Available ..., 1997 - www-2.cs.cmu.edu

... at the hypothesis WER as a **function** of its ... constructions (or in this case: \actions" in the **parse table**). ... to group frequently cooc- curring **tags** together which ...

Cited by 5 - Related articles - View as HTML - Web Search - All 2 versions

SWIG: an easy to use tool for integrating scripting languages with C and C++

DM Beazley - ... conference on USENIX Tcl/Tk Workshop, 1996-Volume 4 **table** ..., 1996 - portal.acm.org

... fread reads from **stream** into the array ptr at most nobj ... edge .c create line $x1 $y1 $x2 $y2 \ -**tags** edge} .c ... to get its pointer use it in calls to C **functions**. ...

Cited by 124 - Related articles - Web Search

SST: using single-sourcing, SGML, and teamwork for documentation

C Stieren - Proceedings of the 17th annual international conference on ..., 1999 - portal.acm.org

... 60 lines of variable definitions (mostly **stream** variables for ... process rule that outputs

the expanded **Table** of Contents **...** element in your DTD -- one for each **tag**. **...**
Cited by 1 - Related articles - Web Search - All 2 versions

Aspects of **Database** Machine Design Using the T9000, C104 and occam91
JM Kerridge, RJ Gates - Occam and the Transputer-Current Developments: WoTUG-14, ..., 1991 - books.google.com
... over a number of storage nodes we may be able to access the **table** partitions in **...** The
rows of data are then received until the **tag** end. result, **stream** is received **...**
Related articles - Web Search

A self-describing data transfer model for ITS applications - °washington.edu [PDF]
DJ Dailey, S Maclean, FW Cathey, D Meyers - Intelligent Transportation Systems, IEEE Transactions on, 2002 - ieeexplore.ieee.org
... for each row to be inserted into the **table** data for **...** The **tag** number needs to be unique
across the family **...** block received from the TMS Data **Stream** represents that **...**
Cited by 11 - Related articles - Web Search - Library Search - BL Direct - All 4 versions

Parsing concurrent XML - °pppl.org [PDF]
IE Iacob, A Dekhtyar - Proceedings of the 6th annual ACM international workshop on ..., 2004 - portal.acm.org
... top of SACX, it converts the event **stream** into a **...** **Table** 1: SACX events (fragment)
of **parsing** the dis- tributed **...** in the input documents, where start **tag**, end **tag** **...**
Cited by 9 - Related articles - Web Search - All 7 versions

[PDF] °Extensible Markup Language (XML) 1.0
T Bray, J Paoli, CM Sperberg-McQueen, E Maler, F ... - W3C Recommendation, 2000 - renderx.com
... **Table** of Contents **...** simply stated, the elements, delimited by start- and end-**tags**,
nest properly **...** The **function** of the markup in an XML document is to describe its **...**
Cited by 2311 - Related articles - View as HTML - Web Search - All 7 versions

[CITATION] INTERFACE APPLICATIVE PERMETTANT A UN RECEPTEUR DE TELEVISION NUMERIQUE D'ACCEDER A DES INFORMATIONS ...
P PETERKA, T KASSMAN, G MANGALORE - WO Patent 27,114, 2000
Web Search

Efficient formalism-only **parsing** of XML/HTML using the§-calculus - °ibothic.com [PDF]
QT Jackson - ACM SIGPLAN Notices, 2003 - portal.acm.org
... priority to real-time during the **parse** and data was **parsed** in memory, rather than
from a file **stream**. **...** xml q_tag '.= '<tang id [**tag** :att-r±bU£es:i **...** **Table** 1 **...**
Cited by 4 - Related articles - Web Search - BL Direct - All 5 versions

An implementation technique for **database** query languages
P Buneman, RE Frankel, R Nikhil - ACM Transactions on **Database** Systems (TODS), 1982 - portal.acm.org
... This indirect **reference** is essential in interpreted systems in order **...** f), s}, where
f is some **function** that may be applied to elements of the **stream** s. extend is **...**
Cited by 97 - Related articles - Web Search - Library Search - All 5 versions

[PDF] °**Parsing** and Querying Xml Documents in Sml
A Neumann - 1999 - ubt.opus.hbz-nrw.de
... 29 2.3.4 Byte-**Stream** Operations . . **...** 112 6.5 The visiting order of a recursive **function**
implementing an LFA. **...** Page 13. List of **Tables** 2.1 X ML attribute types . **...**
Cited by 22 - Related articles - View as HTML - Web Search - Library Search - All 9 versions

Server side web scripting in Haskell

E MEIJER - Journal of Functional Programming, 2000 - Cambridge Univ Press

... type Mime as a raw byte **stream** on the ... **Tag** -> [(Name,Value)] -> [HTML] -> HTML element ::
Tag -> [HTML] -> HTML ... **Table** 2 gives a useful interface to HTML forms ...

Cited by 46 - Related articles - Web Search - BL Direct - All 4 versions

---

[PDF] *"X-DATABASES"–THE INTEGRATION OF XML INTO ENTERPRISE **DATABASE** MANAGEMENT SYSTEMS

L Davis - 2000 - ils.unc.edu

... 4/19/1987</td><td>3000</td><td>20</td></tr> </**table**> </body> </html ... content) from
the **tags**. ... When the XML processor **parses** an input **stream**, it maps the result to ...

Related articles - View as HTML - Web Search - All 2 versions

---

Statistics based hybrid approach to Chinese base phrase identification

T Zhao, M Yang, F Liu, J Yao, H Yu - Proceedings of the second workshop on Chinese language ..., 2000 - portal.acm.org

... so as to decrease its difficulty is a new **stream** in NIP ... n)indicates the boundary
tags, ci represents the base phrase **tags**. ... **Table** 3. Results after TBED Module ...

Cited by 17 - Related articles - Web Search

[PDF] *Parsec, a fast combinator parser

D Leijen - URL: http://www. cs. uu. nl/daan/parsec. html, 2000 - research.microsoft.com

... work on any input **stream** which allows ... is specified using the buildExpressionParser
function: ... Integer expr = buildExpressionParser **table** factor <?> "expression" ...

Cited by 20 - Related articles - View as HTML - Web Search - All 10 versions

---

[PDF] *A TOOLKIT FOR MANAGING XML DATA WITH A RELATIONAL **DATABASE** MANAGEMENT SYSTEM

R RAMANI - 2001 - etd.fcla.edu

... laying a foundation to the set of **functions** we want to provide in our ... individually
loaded into the various **tables**. ... In the XML document generated, **tags** are not ...

Cited by 4 - Related articles - View as HTML - Web Search - Library Search - All 4 versions

---

Light-weight xPath processing of XML **stream** with deterministic automata

M Onizuka - Proceedings of the twelfth international conference on ..., 2003 - portal.acm.org

... **Table** 1: XML **stream** data XML Number of Number of max ... number of element declarations
in DTD and start **tags** in XML. 6.2 n-DFA and shared NFA state **table** results n ...

Cited by 17 - Related articles - Web Search - All 4 versions

[PS] *Speech recognition models of the interdependence among syntax, prosody and segmental acoustics

M Hasegawa-Johnson, J Cole, C Shih, K Chen, A ... - Proceedings of HLT/NAACL, 2004 - acl.ldc.upenn.edu

... in this ta- ble use a prosody-independent MFCC **stream**. ... window, thus the total system
computes prosodie **tags** of one ... results in this half of the **table** also use a ...

Cited by 10 - Related articles - Web Search - All 7 versions

Efficient representation and streaming of XML content over theInternet medium

M Girardot, N Sundaresan, IBMAR Center, CA San ... - Multimedia and Expo, 2000. ICME 2000. 2000 IEEE ..., 2000 - ieeexplore.ieee.org

... **Table** 1. Millau compression rates versus GZIP ... We are currently working on various
schemes of encoding **tags** based upon ... the time to **parse** an XML **stream** (with and ...

Related articles - Web Search

[CITATION] PROCEDE ET APPAREIL DESTINES A FACILITER UNE TRANSACTION AL'INTERIEUR D'UNE INSTALLATION DE VENTE ...

INC EBAY, A POON, S LEAHY, M WILSON - WO Patent 3,038,723, 2003
Web Search

[DOC] ›Lightweight Web Browsing Through HTML Validation
KM Liu - 1997 - daedalus.cs.berkeley.edu
... In the encoded **stream**, there are three types of content units. ... They both have higher
tag-to-plain-text ratio due to their ... **Table** 3: Program code size comparison. ...
Cited by 1 - Related articles - View as HTML - Web Search

Target prediction for indirect jumps
PY Chang, E Hao, YN Patt - ACM SIGARCH Computer Architecture News, 1997 - portal.acm.org
... that can redi- rect the instruction **stream**, which may ... Path History **Table** 4 and **Table**
6 show that using ... to compensate for the hardware used to store **tags**. ...
Cited by 107 - Related articles - Web Search - BL Direct - All 10 versions

The Athena Language Learning Project NLP System: A Multilingual System for Conversation-Based ...
S Felshin - Intelligent Language Tutors: Theory Shaping Technology, 1995 - books.google.com
... kibbles) are passed in a **stream** to the ... the nth element of an output set with the same
tag). ... rules sequentially, thus eliminating the global specificity **table**. ...
Cited by 15 - Related articles - Web Search - All 2 versions

An object-oriented SGML/HyTime compliant multimedia **database** management system - ›ualberta.ca [PDF]
MT Özsu, P Iglinski, D Szafron, S El-Medani, M ... - Proceedings of the fifth ACM international conference on ..., 1997 - portal.acm.org
... A **stream** identifies a particular file on the continuous media ... in the particular
element's **tag**. ... The hash **table** implementation of the dictionary insures rapid ...
Cited by 31 - Related articles - Web Search - All 10 versions

[DOC] ›XUL-Creating Localizable XML GUI
T Cheng - Fifteenth Unicode Conference, 1999 - mozilla.org
... In the above code segment, HTML **tags**, "**table**", "tr", and ... **Table** 1 Chrome registry:
mapping chrome providers to URLs. ... The same XUL **stream** can be shared ...
Cited by 7 - Related articles - View as HTML - Web Search

Mitre-Bedford: description of the Alembic system as used for MUC-5 - ›upenn.edu [PDF]
J Aberdeen, J Burger, D Connolly, S Roberts, M ... - Proceedings of the 5th conference on Message understanding, 1993 - portal.acm.org
... of processing modules to Alembic is summarized in **Table** 1 ... read in by, e .g., inserting
any **tags** left implicit ... ordinary lexical items in th e input **stream**, or (2 ...
Cited by 6 - Related articles - Web Search - Library Search - All 9 versions

[PS] ›The NIST Express Toolkit–Design and Implementation
D Libes - Proceedings of the Seventh Annual ASME Engineering **Database** ..., 1993 - nist.gov
... sub- routine is provided to **parse** a **stream** of EXPRESS ... file name>." Additional types
can be added to this **table**. ... the user, it is still useful to **tag** each one ...
Cited by 10 - Related articles - View as HTML - Web Search - All 9 versions

An architecture for a generic dialogue shell - ›rochester.edu [PDF]
J ALLEN, D BYRON, M DZIKOVSKA, G FERGUSON, L ... - Natural Language Engineering, 2001 - Cambridge Univ Press
... SR) Transforming speech input into a word **stream** or word ... words in the target domain
associated with **tags** that don ... we have ported the TRIPS system (see **Table** 1). ...

[PDF] ›Software Infrastructure for Natural Language Processing

H Cunningham, K Humphreys, R Gaizauskas, Y Wilks - Proceedings of the Fifth Conference on Applied Natural ..., 1997 - acl.ldc.upenn.edu
... to other markup that in- habits the same **stream** - unknown SGML ... In TIP- STER, the
column of a **table** can be ... Marking columns in SGML re- quires a **tag** for each row ...

[PDF] ›Web-enabled Speech Synthesizer for Tamil

P Prathibha, AG Ramakrishnan - Proceedings of Tamil Internet 2002 Conference, Cennai: Asian ..., 2002 - infitt.org
... and pitch is made and the information is stored as a look-up **table** for **reference**
during ... The HTML parser scans the source as a **stream** of start **tags**, end **tags** ...

[PDF] ›User Driven Example-Based Training for Creating Lexical Knowledgebases

JD Patrick, D Palko, R Munro, M Zappavigna - Australasian Natural Language Processing Workshop, Canberra, ..., 2002 - cs.usyd.edu.au
... **Table** 1: Comparative performance statistics on the use of Ferret ... the user is the
list of **tags** that can ... XML output generator receives a contiguous **stream** of data ...

Learning fuzzy decision trees - ›unimi.it [PS]

B Apolloni, G Zamponi, AM Zanaboni - Neural Networks, 1998 - Elsevier
... In the **stream** of learning from examples to select the ... **Table** 6. The 10 best experiments.
Tags {0 (binary), 1 (weighted), Statist { 0 (complete collection), 1 ...

Mapping between ASN. 1 and XML - ›postech.ac.kr [PDF]

T Imamura, H Maruyama - Applications and the Internet, 2001 - doi.ieeecomputersociety.org
... ing to a value of the type (in **Table** 1 , "root ... Each element in the event **stream** has
a name such ... or " INTEGER", which directly corresponds to a **tag** in BER ...

[PDF] ›XML? We do that!

A Friebel, NC Cary - Proceedings of the 28 thSAS Users Group International ..., 2003 - sas.com
... values selected from recurring patterns in an XML input **stream**, creating distinct ...
The **tag** names are listed in the order in which you ... TABLE TABLE TABLE TABLE ...

Programming the Web: The W3C DOM Specification

L Wood - 1999 - doi.ieeecs.org
... **Table** 1. Some differences between HTML and XML ... reads the HTML or XML document or
data **stream** into the ... accommodates such a scenario using custom **tags** that allow ...

[PDF] ›Canonical XML Version 1.0

J Boyer - W3C REC REC-xml-c14n-20010315, March, 2001 - nt.ntnu.no
... or it must be converted from an octet **stream** to a ... The expressions in this **table** generate
a node-set containing ... of the element's start and end **tags**, less the ...

A textual object management system - uchicago.edu [PS]

SC Deerwester, K Waclena, M LaMar - Proceedings of the 15th annual international ACM SIGIR ..., 1992 - portal.acm.org

... client request, to find a textual object in the **stream** of text ... figure CHO (graphic,
table) ... Given a grammar and a set of recognize **functions**, the TOMS compiles ...

Cited by 20 - Related articles - Web Search - All 9 versions

[BOOK] Lex & Yacc

JR Levine, T Mason, D Brown - 1992 - books.google.com

... Reserved Words 71 Reserved Words in the Symbol **Table** 72 Interchangeable **Function**
and Variable ... Changes to the Lexer 141 Changes to the Parser 143 Auxiliary ...

Cited by 282 - Related articles - Web Search - Library Search - All 5 versions

[PDF] An XML--**Database** Interface System

L Vaisalakumari - 2002 - websrv.cs.fsu.edu

... Its **function** is ... The PBS markup **tags** have been transformed into a form representing
relational ... the **database** field represents a primary key of the **table** or not. ...

Related articles - View as HTML - Web Search - All 3 versions

[BOOK] Standard ML of New Jersey - bell-labs.com [PS]

AW Appel, DB MacQueen - 1991 - Springer

... rather conven- tional way: the input **stream** is broken ... functor is applied, because
the symbol **table** infor- mation ... This **function** interprets the **tags** of ob- jects ...

Cited by 253 - Related articles - Web Search - Library Search - All 34 versions

[PDF] Dependency tree kernels for relation extraction

A Culotta, J Sorensen - Proceedings of the 42nd Annual Meeting of the Association ..., 2004 - acl.ldc.upenn.edu

... relevant segments of information in a data **stream** that will ... pos (5 values) noun,
verb, adj chunk-**tag** NP, VP ... of the tree with a fea- ture vector (**Table** 3). The ...

Cited by 133 - Related articles - View as HTML - Web Search - All 11 versions

Improving branch predictors by correlating on data values - cmu.edu [PDF]

TH Heil, Z Smith, JE Smith - International Symposium on Microarchitecture: Proceedings of ..., 1999 - doi.ieeecomputersociety.org

... indi- cates how much further down the **stream** the current ... 9b) is a 6KB **table** containing
2048 entries of three ... 2-bit counters for prediction, and a ten bit **tag**. ...

Cited by 43 - Related articles - Web Search - All 26 versions

An Annotation Engine for Supporting Video **Database** Population - bu.edu [PDF]

M Carrer, L Ligresti, G Ahanger, TDC Little - Multimedia Tools and Applications, 1997 - Springer

... the VBAT to generate a video "**table** of contents ... As **tags** should strictly respect the
set of context rules ... The object representing the whole video **stream** can be ...

Cited by 42 - Related articles - Web Search - BL Direct - All 4 versions

[BOOK] Xml and Java: Developing Web Applications

H Maruyama - 2002 - books.google.com

... 11.4 Mapping from **Tables** to an XML Document ... Java was the implementation language
ofXML4J Parser and because ... book was not an introduction or a **reference** to each ...

Cited by 142 - Related articles - Web Search - Library Search - All 4 versions

Processing XML Streams with Deterministic Automata - upenn.edu [PDF]

TJ Green, G Miklau, M Onizuka, D Suciu - LECTURE NOTES IN COMPUTER SCIENCE, 2003 - Springer
... {book, **table**, chapter, note ... L data is the set of all root-to-leaf sequences of **tags**
in the ... Assuming that the XML **stream** conforms to a schema (or DTD), denote L ...
Cited by 162 - Related articles - Web Search - BL Direct - All 10 versions

PageGen: an effective scheme for dynamic generation of web pages
N Al-Darwish - Information and Software Technology, 2003 - Elsevier
... In these statements, body represents some string (without quotes) that will be inserted
into the output **stream** but it ... Custom XML **tags** and **table** formatting. ...
Cited by 6 - Related articles - Web Search - All 2 versions

[PDF] ·Running agent-based simulations
D Meyer, A Karatzoglou, C Buchta, F Leisch, K ... - 2001 - wu-wien.ac.at
... **Table** 3: The fields' domains ... the end of call symbol appears on the output **stream**
of the ... setattr' **tag** where the 'name' and 'value' **tags** are replaced ...
Cited by 1 - Related articles - View as HTML - Web Search - All 6 versions

[BOOK] A Standard ML Compiler - ·ed.ac.uk [PS]
AW Appel, DB MacQueen - 1987 - Springer
... the input character **stream** into a **stream** of tokens ... representing constructor-expressions
as pairs of (**tag**,value), and ... achieved by using a hash **table**; but then to ...
Cited by 153 - Related articles - Web Search - Library Search - All 19 versions

[BOOK] Hacknotes Web Security Portable **Reference**
M Shema - 2003 - books.google.com
... Instead, the **Reference** Center contains checklists for character encoding, SQL injec
-tion strings ... **Table** 1-1 . Platform Profile Checklist What is its **function**? ...
Cited by 4 - Related articles - Web Search - Library Search - All 2 versions

Applying Multimedia Authoring Tool and XML Techniques to Standardized Knowledge Management for Web- ...
YM Huang, CC Chang, PY Chiu, SC Huang, WCC Chu - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer
... **Table** 1. Available of Plug-ins by Scheme Type ... an on-live course by synchronizing
course video **stream** and HTML ... XML meaningful **tags** can be defined by us, and then ...
Cited by 7 - Related articles - Web Search - BL Direct - All 5 versions

[PS] ·Multiple alignment, cognition and computing
JG Wolff - SEECS Report, August, 1995 - informatics.bangor.ac.uk
... **Tags** are inserted so that the original patterns can be ... Such a **table** may be represented
with a set of ... calculates the negation of the equivalence **function** may be ...
Cited by 4 - Related articles - View as HTML - Web Search - All 5 versions

WMS and GML based interoperable web mapping system - ·umn.edu [PDF]
S Shekhar, RR Vatsavai, N Sahay, TE Burk, S Lime - Proceedings of the 9th ACM international symposium on ..., 2001 - portal.acm.org
... ideas underlying XML are very sim- ple: **tags** on data ... the document as a serialized
%vent **Stream**" (a sequence of ... than one record in a second **table**, records may ...
Cited by 28 - Related articles - Web Search - All 7 versions

A Sequential Model for Multi-Class Classification - ·arxiv.org [PDF]
Y Even-Zohar, D Roth - Arxiv preprint cs.AI/0106044, 2001 - arxiv.org

... a negative example for the rest of the **functions** (target nodes ... trains each **tag** against
all other **tags**, while a ... **Table** 3 compares the performance of the f 3 clas- ...
Cited by 41 - Related articles - View as HTML - Web Search - All 9 versions

Text-to-Prosody **Parsing** in an Italian Speech Synthesizer. Recent Improvements
BG Fivela, S Quazza - Fifth European Conference on Speech Communication and ..., 1997 - ISCA
... computationally efficient, scanning the input **stream** left-to ... OPA) Prosodie Analyzers,
Eloquens (ELQ) **Table** 2 Number ... may be, enhance grammatical **tags** with lexico ...
Related articles - Web Search

Mapping and displaying structural transformations between XML and PDF - ▸nottingham.ac.uk [PDF]
MRB Hardy, DF Brailsford - Proceedings of the 2002 ACM symposium on Document ..., 2002 - portal.acm.org
... OL' **tag** maps to 'L' and the 'IMG' **tag** maps to ... P image Figure **table**, th, tr, td **Table**,
TH, TR ... to be directly inserted into the troff output **stream**. ...
Cited by 9 - Related articles - Web Search - All 6 versions

[BOOK] DocBook: The Definitive Guide - ▸davidashen.net [PDF]
N Walsh, L Muellner - 1999 - books.google.com
... **Table** of Contents vii ... include one or more attributes, which are addi -tional terms
that extend the **function** or refine the ... End **tags** cannot contain attributes. ...
Cited by 215 - Related articles - Web Search - Library Search - All 5 versions

WASH/CGI: Server-Side Web Scripting with Sessions and Typed, Compositional Forms - ▸uni-freiburg.de [PDF]
P Thiemann - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer
... input through the standard input **stream** and through ... WithHTML (\elem -> g (element_
tag" [] [] a, tableElem ... name="s2" type="submit"> </**table**> <input value ...
Cited by 68 - Related articles - Web Search - BL Direct - All 9 versions

Comprehensive framework for mobile ERP system
A Dabkowski, AM Jankowska - **Database** and Expert Systems Applications, 2003. Proceedings. ..., 2003 - ieeexplore.ieee.org
... programming language objects and influence the output **stream**. ... inherent RDBMS features
like **table** indexing or ... Apache Jakarta: XTags Library: **Tags** for Working ...
Cited by 4 - Related articles - Web Search - All 4 versions

Design and implementation of the DTD-based XML parser
K Ning, L Meng - Communication Technology Proceedings, 2003. ICCT 2003. ..., 2003 - ieeexplore.ieee.org
... by each token-scanning operation from a **stream** of characters. ... appear only within
start-**tags** and empty-element **tags**. ... as a field of a hash **table** to differentiate ...
Related articles - Web Search

Address-Free Memory Access Based on Program Syntax Correlation of Loads and Stores - ▸ufl.edu [PDF]
L Peng, JK Peir, Q Ma, K Lai - IEEE Transactions on Very Large Scale Integration(VLSI) ..., 2003 - ieeexplore.ieee.org
... is also invoked multiple times to perform bit-**stream** I/Os. ... For matching the PC of
a load, proper **tags** are maintained in the value history **table**. ...
Cited by 2 - Related articles - Web Search - BL Direct - All 5 versions

Implementation of a deductive **database** system using SQLBase
C Chee Keong, C Yin - Microprocessors and Microsystems, 1997 - Elsevier
... two words: the first word contains the **tag** and a ... **Table** 1 Performance of the system ...

[13] JD Newmarch, Logic Programming: Prolog and **Stream** Parallel languages ...
Related articles - Web Search - All 4 versions

[PDF] ›Adaptive data mediation over XML data
H Lin, T Risch, T Katchaounov - Journal of Applied System Studies, 2002 - user.it.uu.se
... be a file or a data **stream** containing nested ... data- bases; since only non-OO,
table-oriented, representations ... subelement of the element person, **tag** person is ...
Cited by 15 - Related articles - View as HTML - Web Search - All 3 versions

BIOINFORMATICS
JM Temkin, MR Gilder - Bioinformatics, 2003 - Oxford Univ Press
... the token sequence by applying the grammar productions, beginning with the start
symbol S, consuming the **stream** of tokens ... **Table** 2. **Tags** recognized and ...
Related articles - Web Search

Key authors: **J Hammer** - **I Tatarinov** - **D Burger** - **H Garcia-Molin...** - **J Cho**

Did you mean to search for: table tags stream function *passing* reference OR lookup OR database -patent

Gooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

table tags stream function parsing r[Search   ]

Google Home - About Google - About Google Scholar

©2008 Google